

Response under 37 C.F.R. 1.116
Applicant: Thane M. Larson et al.
Serial No.: 09/924.163
Filed: August 7, 2001
Docket No.: 10012383-1
Title: DEDICATED SERVER MANAGEMENT CARD WITH HOT SWAP FUNCTIONALITY

BEST AVAILABLE COPY

IN THE CLAIMS

1. (Previously Presented) A server system comprising:
 - a plurality of printed circuit assemblies including a plurality of host processor cards;
 - a management card coupled to the plurality of printed circuit assemblies, the management card dedicated to monitoring and managing operation of the server system, including monitoring and managing on-line insertion and removal of the printed circuit assemblies.
2. (Previously Presented) The server system of claim 1, wherein the management card includes a management processor and a LAN switch, the LAN switch coupled to management connections of the plurality of host processor cards, and management connections of the management processor.
3. (Original) The server system of claim 1, and further comprising a backplane for connecting the plurality of printed circuit assemblies to the management card.
4. (Previously Presented) The server system of claim 3, wherein the plurality of host processor cards is configured to communicate status information to the management card via at least one I²C bus routed through the backplane.
5. (Original) The server system of claim 1, and further comprising:
 - at least one cooling fan;
 - at least one temperature sensor; and
 - the management card configured to adjust the speed of the at least one cooling fan based on temperature data provided by the at least one temperature sensor.
6. (Original) The server system of claim 1, wherein the management card further comprises:
 - a plurality of LEDs for providing server status information.

Response under 37 C.F.R. 1.116

Applicant: Thane M. Larson et al.

Serial No.: 09/924,163

Filed: August 7, 2001

Docket No.: 10012383-1

Title: DEDICATED SERVER MANAGEMENT CARD WITH HOT SWAP FUNCTIONALITY

7.(Original) The server system of claim 1, wherein the management card further comprises:

a plurality of serial ports for communicating with the management card.

8.(Original) A method of managing a server system comprising:

providing a plurality of host processor cards for running customer operating systems and applications;

providing a dedicated management card that does not run customer operating systems and applications; and

monitoring and managing operation of the plurality of host processor cards with the dedicated management card, including monitoring and managing hot swapping of the host processor cards.

9.(Original) The method of claim 8, and further comprising:

monitoring management LAN communications of the plurality of host processor cards with the management card.

10.(Original) The method of claim 8, and further comprising:

transmitting status information from the plurality of host processor cards to the management card via at least one I²C bus.

11.(Original) The method of claim 8, and further comprising:

monitoring the temperature of the server system with the management card; and

adjusting the speed of at least one cooling fan with the management card based on temperature data.

12.(Original) The method of claim 8, and further comprising:

providing status information on the management card via a plurality of LEDs.

13.(Original) The method of claim 8, and further comprising:

Response under 37 C.F.R. 1.116

Applicant: Thane M. Larson et al.

Serial No.: 09/924,163

Filed: August 7, 2001

Docket No.: 10012383-1

Title: DEDICATED SERVER MANAGEMENT CARD WITH HOT SWAP FUNCTIONALITY

communicating with the management card via at least one of a plurality of serial ports on the management card.

14.(Previously Presented) A management-dedicated server management card for a server system having a plurality of removable cards, the server management card comprising:

a memory for storing server management software;

a controller coupled to the plurality of removable cards for monitoring and managing operation of the server system based on the server management software, the controller providing hot-swap functionality for the plurality of removable cards; and

a multiple-port LAN switch coupled to the controller and configured to be coupled to a management connection of at least one of the plurality of removable cards.

15.(Previously Presented) The server management card of claim 14, wherein the LAN switch is coupled to the management connections of a plurality of the removable cards for monitoring management LAN communications.

16.(Original) The server management card of claim 14, and further comprising:

at least one I²C bus link coupled to the controller for receiving status information from the plurality of removable cards.

17.(Original) The server management card of claim 14, and further comprising:

an input for receiving server temperature information, the controller configured to adjust the speed of at least one server cooling fan based on received server temperature information.

18.(Original) The server management card of claim 14, and further comprising:

a plurality of LEDs for providing server status information.

19.(Original) The server management card of claim 14, and further comprising:

a plurality of serial ports for transmitting and receiving serial communications.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.